



**CRAFTSMANSHIP  
FOR THE LONG HAUL**

**CONTRACTOR**  
DUMP BODIES  
& EQUIPMENT



**WWW.J-CRAFTINC.COM**



# LIGHT DUTY

LIGHT LANDSCAPING, GENERAL CONTRACTING & GENERAL MAINTENANCE  
**AVAILABLE IN 9' TO 12' (2 yd to 4 yd) SIZES**




## STAINLESS STEEL PACKAGE

*Designed for: Landscaping & General Maintenance  
in Corrosive Environments*

J-CRAFT's MAGNA Contractor Dump Bodies offer features you need to make your business a success. With heavy duty floors, tailgate, single or split fold sides and a robust structural understructure, the J-CRAFT Contractor Dump Body was designed and built to handle all the demanding tasks that can be thrown at it day-in and day-out.

# HEAVY DUTY

HEAVY LANDSCAPING, CONCRETE CONTRACTING & GENERAL MAINTENANCE  
**AVAILABLE IN 9' TO 20' (3 yd to 6 yd) SIZES**



## CUSTOM DESIGNED EXTREME PACKAGE

*Custom designed for your specific application. The Extreme Package shown here includes the Optional Sliding Tailgate, which helps control metering of salt, sand, pea gravel and other materials. It also helps you access mulch, sand, asphalt and other materials without raising the body!*

The J-CRAFT MAGNA is a ruggedly built workhorse, as well as an economical solution, with many options and accessories available for General Contractors, Landscapers, Utility or Maintenance workers demanding jobs.

## OPTIONAL ACCESSORIES



Patchgate



Underbody Toolbox



Strobe Lights



Hitch



Aluminum Back-Pack



Cab Shield

# J-CRAFT HOIST

**LIGHT LANDSCAPING, GENERAL  
CONTRACTING & GENERAL MAINTENANCE**

- 8 to 21 foot bodies

The proven J-Craft hoist is engineered for easy installation, ease of operation, safety and long service life. Its low profile adds no body height, keeping the load low. The hoist is designed with a far-forward lift point, providing easier load elevation and greater stability.



SPECIFICATIONS			
LD	LDS	HD	XD
38"-or-60" High 10 ga Gr-50 Front	38"-or-60" High 10 ga 304 Stainless Steel Front	38", 52", or 60" 10 ga Gr-50 Front	
Formed Horizontal Reinforcing		Horiz Reinforcing (3 & 4 yd) Vert Reinforcing (5 & 6 yd)	
Slotted Viewing Window			
1/4 type Integrated Cabshield		1/4 type Integrated Cabshield (3 & 4 yd) Option Cabshield (5 & 6 yd)	
7 ga GR-50 Floor	3/16" AR-400 Floor		1/4" AR-400 Floor
7" Structural Channel Longsills		7", 8" or 10" Longsills	
7 ga Gr-50 Rear Apron		7 ga Gr-50 Rear Apron (3 & 4 yd)	
		1/4" Gr-50 Rear Apron (5 & 6 yd)	
12 VDC-or-Hot-Shift PTO powered J-CRAFT Hoist w/Subframe, Rear Hinge, Saftey Prop, Pump, Valve/Reservoir & Cab Controls		12 Volt DC or Hot-Shift PTO powered pump (3 & 4 yd) Hot-Shift or Air-Shift PTO powered pump (5 & 6 yd)	
		J-CRAFT Piranha or Diamond Hoist (w/Subframe 3 & 4 yd), Rear Hinge, Saftey Prop, Pump, Valve/Reservoir & Cab Controls	
14" High 12 ga Gr-50 Sides	14" High 10 ga 304 Stainless Steel Sides	14" High 12 ga Gr-50 Sides	14" High 10 ga Gr-50 Sides
		Split (two piece) Sides (5 & 6 yd)	
Triple Bend Top Rail			
Rubber (stop) Bumpers			
180° Drop w/Greaseable Hinges			
Dual Cam Latches			
Board Pockets			
Sloped (self-clean) Rubrails			
96" Wide Outside, 90" Inside		96" Wide Outside, 90" Inside (3 & 4 yd)	
		-----	101" Wide Outside, 93" Inside (5 & 6 yd)
FMVSS - 108 Rubber Mounted Lights w/wiring harness, Installed Complete & Operational			
20" High 10 ga Gr-50 Tailgate	20" High 10 ga 304 Stainless Steel Tailgate	24" High 10 ga Gr-50 Tailgate	24" High 7 ga Gr-50 Tailgate
1 1/4" Dia Top & Bottom Pins			
3/8" Spreader Chains			
Forged Steel Lower Latches			
Lever (quick drop) Top-Pin Release			Dual Purpose 270° Swing-away
Manual Front Trip Release ( With-or-Without Coal Chute )		Manual Front Trip or Air-Trip Release Linkage System ( With-or-Without Coal Chute )	
Exterior Media-Blasted & Primed, Painted w/Std or Custom Colors	Exterior in Stainless Mill-Finish	Exterior Media-Blasted & Primed, Painted w/Std or Custom Colors	
Understructure Under-Coated			
Rear Mudflaps			



52182 Ember Road, Lake Crystal, MN 56055  
Toll Free: 800.763.6017 Fax: 507.726.2490  
Email: JCSales@TBEI.com  
Website: www.j-craftinc.com